

atom indonesia

Exist for publishing the results of research and development in nuclear science and technology

EDITOR IN CHIEF

Dr. Julwan Hendry Purba

MANAGING EDITOR

Drs. Budi Prasetyo, M.T.

EDITORS

- Prof. Dr. Zaki Su'ud *Nuclear Physics and Reactor Safety, Bandung Institute of Technology, Indonesia*
 Prof. Dr. Terry Mart *Theoretical Nuclear and Physics, University of Indonesia, Indonesia*
 Prof. Dr. Muhayatun Santoso *Radiochemistry; Nuclear Analytical Techniques, National Nuclear Energy Agency, Indonesia*
 Dr. Hendig Winarno, M.Sc. *Radiation; Pharmaceutical Chemistry, National Nuclear Energy Agency, Indonesia*
 Dr. Abu Khalid Rivai, M.Eng *Materials; Corrosion and Nuclear Reactor Technology, National Nuclear Energy Agency, Indonesia*
 Imam Kambali, M.Phil., Ph.D. *Radiochemistry and Radioisotopes, National Nuclear Energy Agency, Indonesia*
 Edy Giri R. Putra, Ph.D. *Neutron Scattering, Soft Condensed Matter, National Nuclear Energy Agency, Indonesia*
 Dr. Darmawan Darwis *Biomaterials, Radiation Processing of Polymers, Radiation Sterilization and Decontamination of Pharmaceuticals and Healthcare, National Nuclear Energy Agency, Indonesia*
 Prof. Dr. Mukh. Syaifudin *Biomedicine Division, Center for Technology of Radiation Safety and Metrology, National Nuclear Energy Agency, Indonesia*
 Prof. Dr. Malcolm F. Collins *Neutron Scattering; Magnetism; Glasses, McMaster University, Hamilton, Canada*
 Dr. Shane J. Kennedy *Neutron Scattering; Superconductor; Superionic Materials, Australian Nuclear Science and Technology Organization, Australia*
 Prof. Dr. Philip K. Hopke *Nuclear Analytical Methods (XRF, INAA); Environmental Analysis, Clarkson University, New York, USA*
 Prof. Dr. Takashi Sakuma *Solid State Physics, Ibaraki University, Japan*
 Sugawara Takanori, Ph.D. *Nuclear Reactor Physics, Japan Atomic Energy Agency, Japan*
 Prof. Dr. T. Kamiyama *Neutron Instrumentation and Materials Energy, High Energy Accelerator Research Organization, Japan*
 Prof. Dr. Shahidan Radiman *Nanomaterials and Their Applications, National University of Malaysia, Malaysia*
 Prof. Dr. Kell Mortensen *Head of X-Ray and Neutron Science, Niels Bohr Institute, University of Copenhagen, Denmark*
 Bowen Li, Ph.D. *Physics and Astronomy, Engineering, Lanzhou University, China*
 Prof. Dr. Gerard O'Sullivan *Quantum Mechanics, Atomic and Molecular Physics, Applied Optics, Lasers and Photonics, Low Temperature Physics: Superconductivity and Quantum Fluids, Base Einstein Condensation in Cold Gases, University College Dublin, Ireland*
 Ass. Prof. Chris Ling *Solid-state Oxide Chemistry, Magnetism, Ionic Conductivity, Neutron Scattering, Phase Transitions, Modulated Structures, University of Sydney, Australia*
 Prof. Sun Ming Choi, Ph.D. *Neutron and X-ray Scattering Studies of Molecular Self-Assemblies for Nanostructured Functional Materials, Development of Multi-Component Anisotropic Nanoparticle Superlattice and Their Applications, Structure and Dynamics of Biomembranes Interacting with Proteins, Korea Advanced Institute of Science and Technology, Republic of Korea*
 Dr. Max Audeev *Crystal and Magnetic Structural Studies of Inorganic Materials with Neutron and X-ray Scattering And Atomistic, Australian Nuclear Science and Technology Organization (ANSTO), Australian*
 Prof. Ikuo Kashiwakura, Ph.D. *Hirosaki University Graduate School of Health Sciences, Departement of Radiation Science, Japan*

PEER REVIEWERS

- Prof. Dr. Evvy Kartini *Material Science; Neutron Scattering; Condensed Matter Physics, National Nuclear Energy Agency, Indonesia*
 Martalena, M.Sc. Ph.D. *Radiopharmacy, National Nuclear Energy Agency, Indonesia*
 Dr. L.T. Handoko, M.Sc. *Physics Theory, Indonesian Institute of Sciences, Indonesia*
 Prof. Sunarno, Ph.D. *Nuclear Radiation; Nuclear Instrumentation, Gajah Mada University, Indonesia*
 Prof. Yasushi Arano *Environmental and Bioanalytical Sciences, Chiba University, Japan*
 Prof. Dr. Michio Yamawaki *Nuclear Fuel and Material, Nuclear Fussion Technology, University of Tokyo, Japan*
 Prof. Dr. Kenji Kikuchi *Nuclear Materials, Ibaraki University, Japan*
 Prof. Dr. Fumio Yoshii *Radiation Chemistry; Radiation Polymerization, Japan Atomic Energy Agency, Japan*
 Prof. Dr. Stefan Adams *Materials Modelling, National University of Singapore, Singapore*
 Ass. Prof. Dr. Ho Jin Ryu *Materials Science and Engineering, Korea Advanced Institute of Science and Technology, Republic of Korea*
 Lucille V. Abad, Ph.D. *Philippine Nuclear Research Institute (PNRI)*

LANGUAGE EDITOR

Jos Budi Sulisty, Ph.D, Drs. Supria, M.Sc. (Universitas Bina Nusantara), Dr. Ratiko, M.T., Arief Sasongko Adhi, S.Si.

ADMINISTRATIVE OFFICERS

Iis Sustini, A.Md., Dra. Noer'Aida, R. Suhendani, S.IP., Moh. Zen, Heru Susanto, A.Ma., Ajie Noorseto, S.Kom., Moh. Widya, Wenseslaus Roland, Anggiana Rohandi Yusuf, A.Md.

Publisher : Center for Informatics and Nuclear Strategic Zone Utilization
 Mailing Address : National Nuclear Energy Agency
 Puspiptek Serpong, Tangerang 15314, Indonesia
 Phone (+62 21) 7560575, 7562860 ext. 9017, Fax (021) 7560895
 Web: <http://aij.batan.go.id>, E-mail : atomindonesia@batan.go.id

Licences : SIT No. 078/Khs/Dit.PP/II. 1a & 75; 24.5.75
 SIC No. B/289-PK/VI/75; 3.6.75

Contents

Editorial	i
Spectral Comparison of Neutron-Irradiated Natural and Enriched Ytterbium Targets for Lu-177 Production M. Maiyesni, S. Febriana, I. Kambali and D. Kurniasih	133
The Role of BNCT in Breast Cancer Treatment B. Poedjomartono, Y. Sardjono, E. Meiyanto and H. Winarno	139
Evaluation of Kidney Dose in Neuroendocrine Tumors Patients after Peptide Receptor Radionuclide Therapy using ¹⁷⁷ Lu-DOTATATE N.R. Hidayati, A. Poon, K. Willowson, E. Eslick, H. Ryu and D.L. Bailey	147
The Effect of Gamma-Irradiated Nitrate-Reducing Bacteria in Decreasing the <i>In Vitro</i> Production of Methane by Buffalo Rumen Liquid R. Rahmani, M.R. Pikoli and I. Sugoro	153
Antiproliferative Activity of Extracts and Fractions from Irradiated <i>Curcuma zanthorrhiza</i> Rhizomes Against Mouse Leukemia and Human Cancer Cell Lines E.K. Winarno, H. Winarno and Susanto	159
Nanostructure and Magnetic Field Ordering in Aqueous Fe ₃ O ₄ Ferrofluids: A Small-Angle Neutron Scattering Study A. Taufiq, Sunaryono, N. Hidayat, E.G.R. Putra, A. Okazawa, I. Watanabe, N. Kojima, S. Pratapa and D. Darminto	165
Investigation on the Performance of a Wickless-Heat Pipe Using Graphene Nanofluid for Passive Cooling System M.H. Kusuma, N. Putra, A. Rosidi, S. Ismarwanti, A.R. Antariksawan, T. Ardiyati, M. Juarsa and T.M.I. Mahlia	173
The Absolute Standardization Methods of ³² P for Calibrate Nuclear Medicine Instruments in Indonesia G. Wurdianto, H. Candra, Holnisar and V. Pungkun	183
Authors Index	189
Keywords Index	191
Acknowledgment	195

Dear reader,

It is a great pleasure to provide you the third issue of Atom Indonesia in 2019, namely Vol. 45 No. 3 (2019). Since SCOPUS and Web of Science (WOS) indexed Atom Indonesia, the number of articles submitted to Atom Indonesia has significantly increased. To retain the quality of the publications, all articles submitted to Atom Indonesia are peer reviewed by qualified editors and reviewers and is supported by a professional administration team.

The Atom Indonesia Vol. 45 No. 3 (2019) contains eight articles discussing various aspects and applications of nuclear science and technology. The contributors of those articles are not only from various national institutions and universities, but also from international institutions.

“Spectral Comparison of Neutron-Irradiated Natural and Enriched Ytterbium Targets for Lu-177 Production” was explored by M. Maiyesni, S. Febriana, and D. Kurniasih from the Center for Radioisotope and Radiopharmaceutical Technology, National Nuclear Energy Agency, Jakarta, Indonesia in collaboration with I. Kambali from the Center for Accelerator Science and Technology, National Nuclear Energy Agency, Yogyakarta, Indonesia. Beta-emitting radioisotope ^{177}Lu has been suggested for Radioimmunotherapy, peptide receptor radionuclide therapy, or another radionuclide therapy due to its excellent properties for destroying cancer cells. In this experimental investigation, natural ytterbium ($^{\text{nat}}\text{Yb}$) and enriched ^{176}Yb targets were irradiated with thermal neutrons at $1.2 \times 10^{14} \text{ cm}^{-2}\text{s}^{-1}$ neutron flux for 95 hours. Using a high-purity germanium (HPGe) detector-based spectroscopy system, the post-irradiated targets were measured and the produced radioisotopes were identified according to their gamma ray emissions.

“The Role of BNCT in Breast Cancer Treatment” was studied by B. Poedjomartono from the Department of Radiology, Faculty of Medicine, University of Gadjah Mada, Yogyakarta, Indonesia under collaboration with Y. Sardjono from the Center for Accelerator Science and Technology, National Nuclear Energy Agency, Yogyakarta, Indonesia, E. Meiyanto from the Faculty of Pharmacy, University of Gadjah Mada, Yogyakarta, Indonesia and H. Winarno from the Center for Isotopes and Radiation Application, National Nuclear Energy Agency, Jakarta, Indonesia. Boron neutron capture therapy (BNCT) is a promising future technique of breast cancer therapy. BNCT is a cell-targeting therapy. In BNCT, the use of boron-10 combined with curcumin analog will provide selective radiation therapy only to breast cancer cells, whereas healthy cells will not be affected.

“Evaluation of Kidney Dose in Neuroendocrine Tumors Patients after Peptide Receptor Radionuclide Therapy using ^{177}Lu -DOTATATE” was written by N.R. Hidayati from the Center for Technology of Radiation Safety and Metrology, National Nuclear Energy Agency, Jakarta, Indonesia, in collaboration with A. Poon from the Department of Nuclear Medicine, Austin Health, Melbourne, Australia, K. Willowson from the Department of Nuclear Medicine, Royal North Shore Hospital, Australia, E. Eslick, H. Ryu and D.L. Bailey from the University of Sydney, Australia. Radiation dose to the kidneys (kidney dose) in ^{177}Lu -DOTATATE - Peptide Receptor Radionuclide Therapy (PRRT) is considered to be the main potential side-effect from the treatment. Prospective assessment of kidney radiation dose can be made with SPECT, however, this requires an intensive imaging regime over a number of days. For this reason, a retrospective investigation of kidney uptake using quantitative SPECT was performed. The aim of the study was to compare the estimated radiation dose to kidneys for each cycle. Seventeen patients treated with ^{177}Lu -DOTATATE for metastatic neuro-endocrine tumors had full imaging for each of their treatment cycles on a Siemens Intevo SPECT/CT gamma camera.

“The Effect of Gamma-Irradiated Nitrate-Reducing Bacteria in Decreasing the *In Vitro* Production of Methane by Buffalo Rumen Liquid” was explored by R. Rahmani and M.R. Pikoli from the Department of Biology, Faculty of Science and Technology, Syarif Hidayatullah State Islamic University Jakarta, Ciputat, Indonesia, under collaboration with I. Sugoro from the Center for Isotopes and Radiation Application, National Nuclear Energy Agency, Jakarta, Indonesia. Ruminant livestock undeniably contributes to the increase of greenhouse gases by emitting methane. One strategy used to reduce methane emission is by applying nitrate-reducing bacteria (NRB). Utilizing active NRB has a side effect of acidosis in rumen liquid in an uncontrolled condition. Alternatively, NRB can be applied in an inactive form. The aim of this study was to examine the use of gamma irradiation on NRB to be used for decreasing methane production by buffalo rumen liquid. The examination was performed *in vitro* and involved comparison to other treatments, which were active NRB, autoclaved NRB, and without NRB. The result showed that the NRB in either active or the inactive condition affected fermentation of the rumen microorganisms.

“Antiproliferative Activity of Extracts and Fractions from Irradiated *Curcuma zanthorrhiza* Rhizomes Against Mouse Leukemia and Human Cancer Cell Lines” was written by E.K. Winarno, H. Winarno and S. Susanto from the Center for Isotopes and Radiation Application, National Nuclear Energy Agency, Jakarta, Indonesia. *Curcuma zanthorrhiza* Roxb is a medicinal plant that is used as a raw material in the herbal medicine and pharmaceutical industries. The main content of *C. zanthorrhiza* is Curcuminoids, which is used as an antioxidant and an anticancer agent. The aim of this research was to study the effect of gamma radiation used for preserving simplicia or herbal drugs through the examination of their cytotoxicity against mouse leukemia L1210 cells and antiproliferative activity against human cancer cell lines HUT78, A549, HeLa, and THP1. The result showed that irradiation of samples under doses up to 10 kGy can be used to preserve *Curcuma zanthorrhiza* simplicia without damaging its efficacy.

“Nanostructure and Magnetic Field Ordering in Aqueous Fe₃O₄ Ferrofluids: A Small-Angle Neutron Scattering Study” was explored by A. Taufiq, Sunaryono and N. Hidayat from the Department of Physics, Faculty of Mathematics and Natural Sciences, Universitas Negeri Malang, Malang, Indonesia, under collaboration with E.G.R Putra from the Polytechnic Institute of Nuclear Technology, National Nuclear Energy Agency, Yogyakarta, Indonesia, A. Okazawa from the Department of Basic Science, The University of Tokyo, Komaba, Tokyo, Japan, and I. Watanabe from the Advanced Meson Science Laboratory, Nishina Center, RIKEN, Saitama, Japan, N. Kojima from the Toyota Physical and Chemical Research Institute, Nagakute, Aichi, Japan, Pratapa and D. Darminto from the Department of Physics, Faculty of Science, Sepuluh Nopember Technology Institute, Sukolilo, Surabaya, Indonesia. Despite the importance of reducing production costs, investigating the hierarchical nanostructure and magnetic field ordering of Fe₃O₄ ferrofluids is also important to improve its application performance. Therefore, we proposed an inexpensive synthesis method in producing the Fe₃O₄ ferrofluids and investigated their detailed nanostructure as the effect of liquid carrier composition as well as their magnetic field ordering. In the present work, the Fe₃O₄ ferrofluids were successfully prepared through a coprecipitation route using a central precursor of natural Fe₃O₄ from iron sand. The nanostructural behaviors of the Fe₃O₄ ferrofluids, as the effects of the dilution of the Fe₃O₄ particles with H₂O as a carrier liquid, were examined using a small-angle neutron spectrometer (SANS). The Fe₃O₄ nanopowders were also prepared for comparison. A single lognormal spherical distribution and a mass fractal model were applied to fit the neutron scattering data of the Fe₃O₄ ferrofluids.

“Investigation on the Performance of a Wickless-Heat Pipe Using Graphene Nanofluid for Passive Cooling System” was written by M.H. Kusuma and N. Putra from the Applied Heat Transfer Research Group, Department of Mechanical Engineering, Universitas Indonesia, in collaboration with A. Rosidi and M. Juarsa from the Center for Nuclear Reactor Technology and Safety, National Nuclear Energy Agency, Puspipstek Area Serpong, Indonesia, S. Ismarwanti from the Center for Nuclear Fuel Technology, National Nuclear Energy Agency, Puspipstek Area Serpong, Indonesia, A.R. Antariksawan from the

Center for Accelerator Science and Technology, National Nuclear Energy Agency, Yogyakarta, Indonesia, T. Ardiyati from the Center for Nuclear Facilities Engineering, National Nuclear Energy Agency, Puspiptek Area Serpong, Indonesia and T.M.I. Mahlia from the School of Information, Systems and Modeling, Faculty of Engineering and Information Technology, University of Technology Sydney, Australia. To enhance the thermal safety in case of station blackout, a wickless-heat pipe is proposed as an alternative passive cooling system technology to remove decay heat generation in the nuclear spent fuel storage pool. The objectives of this research are to investigate the heat transfer phenomena in vertical straight wickless-heat pipe using Graphene nanofluid working fluid and to study the effect of Graphene nanofluid on the vertical straight wickless-heat pipe thermal performance. The investigation was conducted in 6 meters height and 0.1016 m inside diameter of vertical straight wickless-heat pipe. In this research, the Graphene nanofluid with 1 % of weight concentration was used as working fluid. The effect of working fluid filling ratio, evaporator heat load, and coolant volumetric flow rate on the water jacket were studied.

“Absolute Standardization Methods of ^{32}P to Calibrate Nuclear Medicine Instruments in Indonesia”, was explored by G. Wurdianto, H. Candra and Holnisar from the Center for Technology of Radiation Safety and Metrology, National Nuclear Energy Agency, Jakarta, Indonesia, under collaboration with V. Pungkun from the Office of Atoms For Peace, Chatuchak, Bangkok, Thailand. The absolute standardization of ^{32}P radioactive sources employed to calibrate nuclear medicine instruments has been conducted at PTKMR-BATAN. We deemed this activity to be necessary since ^{32}P used in the nuclear medicine fields has a short half-life, and in order to obtain a result of quality measurement, it requires a special treatment. Moreover, in Indonesia, the use of nuclear medicine techniques has developed rapidly. We prepared all the radioactive sources with a gravimetric method by using a *KERN ABT 220-5DM* semi-micro type scale, traceable to the International Unit System.

On behalf of Atom Indonesia, I would like to thank you all for all of your contributions and endless support that have allowed Atom Indonesia to reach an outstanding performance for all the years. This outstanding achievement could not have been reached without great efforts and cooperation from the editors, reviewers, management personnel, authors, and readers.

Editor in Chief