

ISSN 0126–1568, E-ISSN 2356–5322
Accreditation No.: 30/E/KPT/2018

atom indonesia

<http://aij.batan.go.id/>

VOL. 47
NO. 2
AUGUST 2021

C o n t e n t s

Editorial	i
Texture Characterization of Duplex Stainless Steel 2205 Using Neutron Diffraction Method T. H. Priyanto, R. Muslih, A. Insani, B. Bharoto, A. Ramadhani, H. Mugirahardjo	79
Evaluating the Diffusion Approximation Capability on the Integral Pressurized Water Reactor (IPWR) Core Calculation H. Ardiansyah, M. R. Oktavian	85
Estimation of Population Size and Dispersal Pattern of Sterile Male <i>Aedes aegypti</i> Using Mark-Release-Recapture (MRR) R. Zulfa, S. Yuliawati, M. Martini, R. Hestiningsih, B. Ernawan	93
Priming Low-Dose Gamma Irradiation Increases Cellular Radioadaptation Response through the Induction of Hsp70 and SOD2 Supriyadi	99
Impact of Tube Voltage on Radiation Dose (CTDI) and Image Quality at Chest CT Examination M. El Mansouri, A. Choukri, M. Talbi, O. K. Hakam	105
Gamma Radiosynthesis of Colloidal Silver Nanoparticles Stabilized in ι -Carrageenan Under Atmospheric Gases: A Surface Plasmon Resonance Based Study D. P. Perkasa, M. Y. Yunus, Y. Warastuti, B. Abbas	111
An Automated Measurement of Image Slice Thickness of Computed Tomography S. Sofiyatun, C. Anam, U. M. Zahro, D. A. Rukmana, G. Dougherty	121
Addition of Lead (Pb)-Nitrate Filler on Polymer Composite Aprons for X-Ray Radiation Shielding E. Afrianti, D. Tahir, B. Y. E. B. Jumpono, O. A. Firmansyah, J. Mellawati	129
Comparisons of Water-Equivalent Diameter Measured on Images of Abdominal Routine Computed Tomography with and without A Contrast Agent A. Nitasari, C. Anam, W. S. Budi, A. L. Wati, S Syarifudin, G. Dougherty	135
Coupled Analysis of Thorium Based Fuels in the High-Performance Light Water Reactor Fuel Assembly Y. Pérez, C. R. García, F. L. Mena, L. Castro	141
Acknowledgment	151