

ISSN 0126–1568, E-ISSN 2356–5322  
Accreditation No.: 204/E/KPT/2022

# atom indonesia

<https://atomindonesia.brin.go.id/>

**VOL. 51**  
**NO. 3**  
**December 2025**

|                |         |       |                |                          |                  |
|----------------|---------|-------|----------------|--------------------------|------------------|
| atom indonesia | Vol. 51 | No. 3 | Page 187 - 279 | Tangerang, December 2025 | ISSN 0126 - 1568 |
|----------------|---------|-------|----------------|--------------------------|------------------|

# Contents

|                                                                                                                                                                                                                                                                                                         |            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>Editorial</b> .....                                                                                                                                                                                                                                                                                  | <b>i</b>   |
| Optimizing Quality Assurance in Breast IMRT Treatment Plans: A Comparative Study of Point Dose and 2D Dose Verification<br><b>S. Herwiningsih, J. A. E. Noor, C. S. Widodo, D. Y. B. Munthe, F. K. Hentihu</b> .....                                                                                    | <b>187</b> |
| Strategic Intelligence Analysis in The Integration of National Defense Components to Counter The Threat of Nuclear Terrorism in Indonesia<br><b>M. H. Rajagukguk, B. Gunawan, M. Santoso, B. M. Ratmono</b> .....                                                                                       | <b>195</b> |
| Verification of Breast Cancer Treatment Planning with Various Radiation Techniques Using Monte Carlo Simulations and Linac Log Files<br><b>R. D. Sugandi, A. Azzi, M. Fadli, D. S. K. Sihono</b> .....                                                                                                  | <b>207</b> |
| PHITS-Based Simulation of Dose Distributions and Secondary Particle Fluence from Light and Heavy Ions at Therapeutic Energies in a Water Phantom<br><b>C. G. M. Dalumpines, G. F. I. Peñonal, H. P. Aringa, V. C. Convicto</b> .....                                                                    | <b>215</b> |
| Comparison of Lung Cancer Lesion Detection Capability on Standard Dose and Low Dose Computed Tomography Capabilities: An In-House Phantom Study<br><b>A. K. Hutami, H. D. R. Raharja, L. E. Lubis, D. S. Soejoko</b> .....                                                                              | <b>221</b> |
| Analysis of Alpha and Lithium-7 Particle Energy Deposition in BNCT using Geant4 Simulation<br><b>K. Charef, F. Z. Ahlaf, Y. Khoulaki, D. Benchekroun, H. Harrass, I. Fathi, Y. Makhkhas</b> .....                                                                                                       | <b>229</b> |
| Measurement of Percentage Depth Dose using Fabricated Water Phantom Tank for 6 MV Photon Beam<br><b>A. M. Alssnusi, Y. A. Abdulla, N. A. Hussein, F. H. A. El-Tashani</b> .....                                                                                                                         | <b>243</b> |
| Characterization and Sorption Study of Cesium-137 by Bentonite from Santrijaya, Indonesia as an Engineering Barrier Material for Radioactive Waste Disposal Facilities<br><b>H. Sriwahyuni, Y. K. Krisnandi, T. Basuki, B. Setiawan, A. Budianti, Z. Anggraini, G. Nurliati, N. S. Pamungkas</b> .....  | <b>249</b> |
| The Effect of Loop Inclination on Natural Circulation Mass Flow Rate and Heat Removal Inside Rectangular Passive Cooling Loop<br><b>N. R. Budiyanto, D. Deendarlianto, D. Yuliaji, R. Oktaviandi, E. P. A. Raharjo, S. A. Mariyadi, A. E. Pamungkas, P. H. Setiawan, A. A. Budiman, M. Juarsa</b> ..... | <b>259</b> |
| Evaluation of Neutron Flux in Boron Neutron Capture Therapy for a 10-Year-Old Child with Head and Neck Rhabdomyosarcoma Using Monte Carlo Simulation<br><b>F. M. Salim, E. Hidayanto, W. Setiabudi, F. Arianto</b> .....                                                                                | <b>273</b> |
| Acknowledgment .....                                                                                                                                                                                                                                                                                    | <b>279</b> |